

Message

---

**From:** Stan Carey [scarey@massapequawater.com]  
**Sent:** 7/10/2015 7:49:00 PM  
**To:** 'Hannon, ED (AS)' [Edward.Hannon@ngc.com]  
**CC:** 'Mike Boufis' [mboufis@bethpagewater.com]; 'Rich Humann' [rhumann@h2m.com]; 'Paul Granger' [pgranger@h2m.com]; 'Harrington, Jim (DEC)' [jim.harrington@dec.ny.gov]; 'Schick, Robert (DEC)' [robert.schick@dec.ny.gov]; 'Karpinski, Steven (HEALTH)' [steven.karpinski@health.ny.gov]; JDeFranco@nassaucountyny.gov; Garbarini, Doug [Garbarini.Doug@epa.gov]; Fly, Lora B CIV NAVFAC MIDLANT, IPTNE [lora.fly@navy.mil]  
**Subject:** RE: EXT :1,4 Dioxane Data  
**Attachments:** image005.jpg; image006.jpg; image002.jpg

Mr. Hannon,

Thank you for forwarding the 1,4 Dioxane sampling data. If I am reading the information correctly, I draw the following conclusions with regard to 1,4 Dioxane:

- Only 4 samples have been collected
- No samples have been collected for over 2 years
- 1,4 Dioxane is present offsite of the ONCT
- 1,4 Dioxane is present in the ONCT effluent water

This information tells me as a public water supplier that additional sampling should be conducted to draw a better conclusion since dioxane has been identified at concerning levels both onsite and offsite. In order for public water suppliers to be prepared and to best protect public health, this information is critical. MWD feels the same way about the other constituents discussed at our June 22, 2015 meeting. If I am misunderstood or not accurate please provide additional information or correct me. Thank you.

Stan Carey, Superintendent  
Massapequa Water District



---

**From:** Hannon, ED (AS) [mailto:Edward.Hannon@ngc.com]  
**Sent:** Friday, July 10, 2015 2:56 PM  
**To:** Stan Carey  
**Cc:** 'Mike Boufis'; 'Rich Humann'; 'Paul Granger'; 'Harrington, Jim (DEC)'; 'Schick, Robert (DEC)'; 'Karpinski, Steven (HEALTH)'; JDeFranco@nassaucountyny.gov; 'Garbarini, Doug'  
**Subject:** RE: EXT :1,4 Dioxane Data

Attached you will find the 1, 4 Dioxane sampling results.

Ed

---

**From:** Stan Carey [mailto:scarey@massapequawater.com]  
**Sent:** Friday, July 10, 2015 2:45 PM  
**To:** Hannon, ED (AS)  
**Cc:** 'Mike Boufis'; 'Rich Humann'; 'Paul Granger'; 'Harrington, Jim (DEC)'; 'Schick, Robert (DEC)'; 'Karpinski, Steven (HEALTH)'; JDeFranco@nassaucountyny.gov; 'Garbarini, Doug'  
**Subject:** RE: EXT :1,4 Dioxane Data

Mr. Hannon,  
Any idea when I can expect this information? Thank you.

Stan Carey, Superintendent  
Massapequa Water District



---

**From:** Hannon, ED (AS) [<mailto:Edward.Hannon@ngc.com>]  
**Sent:** Tuesday, June 30, 2015 3:29 PM  
**To:** Stan Carey  
**Cc:** Mike Boufis; 'Rich Humann'; Paul Granger; Harrington, Jim (DEC); Schick, Robert (DEC); Karpinski, Steven (HEALTH); [JDeFranco@nassaucountyny.gov](mailto:JDeFranco@nassaucountyny.gov); Garbarini, Doug  
**Subject:** RE: EXT :1,4 Dioxane Data

I will compile the 1, 4 Dioxane information and send it off to you in an email.  
All other information is available from NYSDEC.


Thank You  
Ed Hannon  
Manager ESH&M

---

**From:** Stan Carey [<mailto:scarey@massapequawater.com>]  
**Sent:** Monday, June 29, 2015 1:20 PM  
**To:** Hannon, ED (AS)  
**Cc:** Mike Boufis; 'Rich Humann'; Paul Granger; Harrington, Jim (DEC); Schick, Robert (DEC); Karpinski, Steven (HEALTH); [JDeFranco@nassaucountyny.gov](mailto:JDeFranco@nassaucountyny.gov); Garbarini, Doug  
**Subject:** EXT :1,4 Dioxane Data

Mr. Hannon,  
Can you please forward the Massapequa Water District all sampling data collected for 1, 4 Dioxane? Please include all sampling for the ONCT and all monitoring wells owned by Grumman. This was a topic of discussion at the June 22<sup>nd</sup> meeting and MWD does not have any of this information. Thank you.

Stan Carey, Superintendent  
Massapequa Water District



No virus found in this message.

Checked by AVG - [www.avg.com](http://www.avg.com)

Version: 2015.0.6037 / Virus Database: 4365/10130 - Release Date: 06/30/15